

STATE OF MISSOURI MISSOURI DEPARTMENT OF NATURAL RESOURCES GEOLOGICAL SURVEY PROGRAM

DEC 28 2007

APPLICATION FOR PERMIT TO DRILL, DEEPEN OR PLUG BACK

☑ APPLICATION TO	DRILL	☐ DEEPEN	☐ PLUG	BACK 🛛 F	OR AN	ol We	& Ga	E GRI	ARWELL
NAME OF COMPANY OR OPERA							DATE		
D.E. Exploration, Inc.			1.0	ITY			12/27/ STATE	2007 ZIP C	ODE
P.O. Box 128				Vellsville			KS	660	
DESCRIPTION OF WE	LL AND	LEASE		Velisville	A TILLES	Filtra	y de Contra	MARKET STATE	TO THE TENT
NAME OF LEASE				ELL NUMBER				N (GROUND	
Belton Unit WELL LOCATION				RW-19 FROM SECTION LINES)			1079		
WELE EGOATION	3540 ft	from North S				West s	ection lin	ne	
WELL LOCATION	30 10 11				ONGITUDE		COUNTY		
Sec. 16 Township 46	North	Range 33	ast ⊠ West <u>I</u>	<u> </u>	<u>IA</u>		Cass		
NEAREST DISTANCE FROM									
DISTANCE FROM PROPOSE PROPOSED DEPTH		ON TO NEAREST DRIL		OR APPLIED – FOR	ROTARY O				TE WORK WILL START
700'		Energy Develop			Rotary			1/7/2008	
NUMBER OF ACRES IN LEASE		OF WELLS ON LEASI		WELL COMPLETED	-				
560		OF ABANDONED WE		, , , , , , , , , , , , , , , , , , ,					_
IF LEASE PURCHASED WITH				RCHASED?		NO. OF	WELLS	PRODU	JCING <u>42</u>
NAME E.W. Stallings/V			5, 1100, 1110, 1		4.:				CTION <u>26</u>
ADDRESS	V COLOTTI	Engineering				-			ONED 0
ADDRESS		☐ SINGLE WELL		■ BLANKE	T BOND			Ø ON I	
STATUS OF BOND REMARKS: (IF THIS IS AN APPLI	,	AMOUNT \$		AMOUN	T \$ 40000			ATT.	ACHED
PROI	POSED CAS	SING PROGRAM		APPROVED	CASING -	TO BE FI	LLED IN E	BY STATE (GEOLOGIST
AMOUNT S	IZE	WT/FT	CEMENT	AMOUNT	SIZ	E	W	T/FT	CEMENT
700' 4	1/2"		114 sk	700'	4 1/	2" /			114 sk
									to surface
I, the Undersigned, stat company to make this r are true, correct, and ec	eport, and	d that this report w	as prepared und	oration, Inc. (Co ler my supervisio	mpany), n and dir	and tha ection a	ind that	uthorized the facts	by said stated therein
SIGNATURE	1						12/27/2	2007	
APPROVED BY		-4-08 I	DRILLER'S LOG I CORE ANALYSIS SAMPLES REQU SAMPLES NOT R WATER SAMPLE	REQUIRED IF RUN RED EQUIRED		,	REQUIRE	D IF RUN	EQUIRED IF RUN
NOTE THIS P	ERMIT N	OT TRANSFERA	BLE TO ANY OT	HER PERSON C	OR TO AN	NY OTH	ER LOC	CATION.	
APPROVAL OF THIS PERMIT	7								
WELL HOD ENDODOEMENT					NT OF THE	E GEOLO	GIC MERI	TS OF THE	PROPOSED
	OF THE QL	JALIFICATIONS OF TH	HE PERMITTEE	ITUTE ENDORSEME					
	OF THE QU	JALIFICATIONS OF TH y), confirm that an	HE PERMITTEE approved drilling	TUTE ENDORSEME	n obtaine	d by the	e owner	of this we	ell. Council

- South A. EVA.	of the Evans Energy Davelopment In
will be shown on this form by presence of a peri	mit has been obtained by the owner of this well. Council approved of this permit number and algorature of authorized Council representative.
Suffice. En	12-27-07 ECEIVED
	RECEIVED

DEC 28 2007

Vio Oil & Gas Council



STATE OF MISSOURI MISSOURI DEPARTMENT OF NATURAL RESOURCES
GEOLOGICAL SURVEY PROGRAM **INJECTION WELL LOCATION PLAT**



DEC 28 2007

OWNER'S NAME	
D.E. Exploration, Inc.	VIO Oil & Gas Council
Belton Unit #RW-19 WELL LOCATION (GIVE FOOTAGE FRO	Cass
	line 1825 ft. from ⊠East □West section line
WELL LOCATION	0 11 0 1
Sec. 16 Township 46 North Range 33 East W	est VE1701 QVAd
NA	NA
NE 4	
N	
REMARKS	
Refer to map sent 12/27/2007	
INSTRUCTIONS On the above plat, show distance of the proposed well from the two nearest section lines, the nearest lease line, and from the nearest well on the same lease completed in or drilling to the same reservoir. Do not confuse survey lines with lease lines. See rule 10 CSR 50-2.030 for survey requirements. Lease lines must be marked.	This is to certify that I have executed a survey to accurately locate oil and gas wells in accordance with 10 CSR 50-2.030 and that the results are correctly shown on the above plat.
REGISTERED LAND SURVEY	NUMBER NUMBER



STATE OF MISSOURI MISSOURI DEPARTMENT OF NATURAL RESOURCES GEOLOGICAL SURVEY PROGRAM



DEC 12 2011


WELL COMPLETION OR RECOMPLETION REPORT AND WELL LOG

	1 WORKOVER	I DEE	PEN L	PLUG BACK	I INJECTION	SAME RES	SERVOIR L	NEFERENTI RESI	ERVOIR V	DE TRAS DRY
OWNER	No de la constitución de la cons	***************************************				ADDRESS		10/01/0	Jus C	Journal
D. E. EXPLORA	TION, INC.					PO BOX 12	8, WELLSV	ILLE, KS 660	92	
LEASE NAME						WELL NUMBER				
BELTON UNIT						RW-19				
LOCATION OF WELL	SEC TWI			OR						LONGITUDE
Sec. <u>16</u> Twp <u>46</u> N						rth South	ft. from [East West	38.81249	9 - 94.57366
COUNTY			IMBER (O	GC-3 OR OGC-	31)					
CASS		20834								
DATE SPUDDED		DATE TOTA	L DEPTH	REACHED	DATE COMPLE PRODUCE OR				r.) ELEVAT	ON OF CASING HD.
12/08/2008	1	2/10/20	80		NA		1102		PLANGE	NA FEET
TOTAL DEPTH		PLUG BACK	(TOTAL E	DEPTH	1		1 ,.02			TEGI
672	(6	61								
PRODUCING OR INJE	PRODUCING OR INJECTION INTERVAL(S) FOR THIS COMPLETION					ROTARY TOOL	S USED UNTERV	ALIDECII	CABLE T	OOLS USED (INTERVAL
(NOT YET PERF	FORATED.	EST 530	0-624)			DRILLING FLUI		FRESH		
WAS THIS WELL DIRE	CTIONALLY DRI	LLED7	WAS DIF	RECTIONAL SU	JRVEY MADE?		DIRECTIONAL SI	URVEY FILED?	DATE FI	LED
Yes	✓ No		□ Ye		Z No	Yes	ZN	lo		
TYPE OF ELECTRICAL	OR OTHER LO	SS RUN (JU							DATE FI	LED
DRILLER										
		1.459			CASING	RECORD				主题的基本程
CASING (REPOR	T ALL STRIN	IGS SET	IN WEL	L - CONDI	UCTOR, SURF	ACE, INTERM	EDIATE, PRO	DUCING, ETC		
PURPOSE	SIZE HOLE	DRILLED	SIZ	ZE CASING S	SET WEIG	HT (LB. FT)	DEPTH SET	SACKS	CEMENT	AMOUNT PULLED
SURFACE	12.2	:5"		8.625"		25	21'		3	
PRODUCTION	6.5	"		4.5"		10	661'	9	2	
			-							
					- 1					
医中枢的 使用多数 由于1990年		INC DE	COPD	运动的 2000年5月1日	SACTOR STATE OF THE SACTOR	by the majoritable leverage succession	White State of the	I INTER DEC	355	COMMON PROPERTY.
SIZE	TUE DEPTH SET	ING RE	CORD ACKER SE	TAT SI	ZE	TOP	воттом	LINER REC	ORD CKS CEMENT	SCREEN
	DEPTH SET	PA	ACKER SE					SAC		
SIZE	DEPTH SET FEE	P)	ACKER SE	EET	ZE INCH	FEE	т	FEET	CKS CEMENT	FEET
INCH	PERFO	ET RATION	RECC	RD	INCH	ACID, S	HOT, FRAC	FEET TURE, CEM	ENT SQUE	FEET EEZE RECORD
	PERFO	P)	RECC	RD		ACID, S	т	FEET TURE, CEM	ENT SQUE	FEET
	PERFO	ET RATION	RECC	RD	INCH	ACID, S	HOT, FRAC	FEET TURE, CEM	ENT SQUE	FEET EEZE RECORD
INCH	PERFO	ET RATION	RECC	RD	INCH	ACID, S	HOT, FRAC	FEET TURE, CEM	ENT SQUE	FEET EEZE RECORD
INCH	PERFO	ET RATION	RECC	RD	INCH	ACID, S	HOT, FRAC	FEET TURE, CEM	ENT SQUE	FEET EEZE RECORD
INCH	PERFO	RATION ZE AND T	F RECC	DEPTI	INCH H INTERVAL	ACID, S AMOU MA	T IHOT, FRAC INT AND KIND ITERIAL USED	FEET TURE, CEM	ENT SQUE	FEET EEZE RECORD
INCH NUMBER PER FE	PERFORMATION OF THE PERFOR	RATION ZE AND T	F RECC	DEPTI	INCH H INTERVAL	ACID, S AMOU MA	T SHOT, FRAC INT AND KIND ITERIAL USED	FEET CEME	ENT SQUE	FEET EEZE RECORD H INTERVAL
INCH NUMBER PER FE DATE OF FIRST PROD	PERFORMATION OF THE PERFOR	RATION ZE AND T	F RECC	DEPTI	INCH H INTERVAL	ACID, S AMOU MA	T SHOT, FRAC INT AND KIND ITERIAL USED	FEET CEME	ENT SQUE	FEET EEZE RECORD
INCH NUMBER PER FE DATE OF FIRST PRODU	PERFO. EET S	P/ RATION ZE AND T	PP	DEPTI	INCH H INTERVAL INITIAL PE	ACID, S AMOU MA RODUCTION IF FLOWING, GAS I	T IHOT, FRAC INT AND KIND ITERIAL USED	FEET TURE, CEME OF G - IF PUMPING, S	ENT SQUE DEPT	FEET EEZE RECORD H INTERVAL D TYPE OF PUMP.)
INCH NUMBER PER FE DATE OF FIRST PRODUSHUT IN	PERFORMATION OF THE PERFOR	P/ RATION ZE AND T	PP	DEPTI	INCH H INTERVAL INITIAL PE	ACID, S AMOU MA RODUCTION IF FLOWING, GAS II GAS PRODUCED	T IHOT, FRAC INT AND KIND ITERIAL USED	FEET CEME	ENT SQUE DEPT	FEET EEZE RECORD H INTERVAL
INCH NUMBER PER FE DATE OF FIRST PROD SHUT IN DATE OF TEST	PERFO. EET S	P/ RATION ZE AND T	PP	DEPTI	INCH H INTERVAL INITIAL PE	ACID, S AMOU MA RODUCTION IF FLOWING, GAS I	T IHOT, FRAC INT AND KIND ITERIAL USED	FEET FUNE, CEME OF G - IF PUMPING, S WATER PRODUCTEST	ENT SQUE DEPT	FEET EZE RECORD H INTERVAL D TYPE OF PUMP.) OIL GRAVITY
INCH NUMBER PER FE DATE OF FIRST PROD SHUT IN DATE OF TEST	PERFO. EET S	P/ RATION ZE AND T	PPE SIZE CALCU	DEPTI DEPTI RODUCING ME OIL PRODUC TEST RATED RATE C	INCH HINTERVAL INITIAL PETHOD (INDICATE ED DURING BBLS OF	ACID, S AMOU MA RODUCTION IF FLOWING, GAS II GAS PRODUCED	T IHOT, FRAC INT AND KIND ITERIAL USED	FEET FUNE, CEME OF G - IF PUMPING, S WATER PRODUCTEST	ENT SQUE DEPT HOW SIZE AND	FEET EZE RECORD H INTERVAL D TYPE OF PUMP.) OIL GRAVITY
INCH NUMBER PER FE DATE OF FIRST PROD SHUT IN DATE OF TEST	PERFO. EET S UCTION OR INJUNCTION OR INJUN	P/ RATION ZE AND T	PPE SIZE CALCU	DEPTI RODUCING ME OIL PRODUCTEST	INCH HINTERVAL INITIAL PETHOD (INDICATE ED DURING BBLS OF	ACID, S AMOU MA RODUCTION IF FLOWING, GAS I GAS PRODUCED MCF	T IHOT, FRAC INT AND KIND ITERIAL USED LIFT, OR PUMPIN	FEET FUNE, CEME OF G - IF PUMPING, S WATER PRODUCTEST	DEPT THOW SIZE AND CED DURING	FEET EZE RECORD H INTERVAL D TYPE OF PUMP.) OIL GRAVITY API (CORR.)
INCH NUMBER PER FE DATE OF FIRST PROD SHUT IN DATE OF TEST	PERFO	ECTION CHOKE	PE SIZE CALCUPRODU	DEPTI DEPTI OIL PRODUCTEST JUATED RATE O	INCH HINTERVAL INITIAL PETHOD (INDICATE ED DURING BBLS OF 4 HOURS	RODUCTION GAS PRODUCED MCF	T SHOT, FRACE INT AND KIND OF THE REPORT OF THE REPO	G - IF PUMPING, S WATER PRODUCTEST	DEPT THOW SIZE AND CED DURING	FEET EZE RECORD H INTERVAL D TYPE OF PUMP.) OIL GRAVITY API (CORR.)
INCH NUMBER PER FE DATE OF FIRST PROD SHUT IN DATE OF TEST	PERFO	ECTION CHOKE	PE SIZE CALCUPRODU	DEPTI DEPTI OIL PRODUCTEST JUATED RATE O	INCH HINTERVAL INITIAL PETHOD (INDICATE ED DURING BBLS OF 4 HOURS	RODUCTION GAS PRODUCED MCF	T SHOT, FRACE INT AND KIND OF THE REPORT OF THE REPO	G - IF PUMPING, S WATER PRODUCTEST	DEPT THOW SIZE AND CED DURING	FEET EZE RECORD H INTERVAL D TYPE OF PUMP.) OIL GRAVITY API (CORR.)
DATE OF FIRST PRODUCTION BHUT IN DATE OF TEST TUBING PRESSURE DISPOSITION OF GAS	PERFORMANCE PERFORMANCE SET S DUCTION OR INJUNION HOURS TESTED CASING PRE (STATE WHETH	P/ RATION ZE AND T CHOKE SSURE ER VENTER	PE SIZE CALCUPRODU	DEPTI DEPTI OIL PRODUCTEST JUATED RATE O	INCH HINTERVAL INITIAL PETHOD (INDICATE ED DURING BBLS OF 4 HOURS	RODUCTION GAS PRODUCED MCF	T SHOT, FRACE INT AND KIND OF THE REPORT OF THE REPO	G - IF PUMPING, S WATER PRODUCTEST	DEPT THOW SIZE AND CED DURING	FEET EZE RECORD H INTERVAL D TYPE OF PUMP.) OIL GRAVITY API (CORR.)
DATE OF FIRST PRODUCTION DATE OF TEST TUBING PRESSURE DISPOSITION OF GAS	PERFORMANCE PERFORMANCE SET S DUCTION OR INJUNION HOURS TESTED CASING PRE (STATE WHETH	P/ RATION ZE AND T CHOKE SSURE ER VENTER	PE SIZE CALCUPRODU	DEPTI DEPTI OIL PRODUCTEST JUATED RATE O	INCH HINTERVAL INITIAL PETHOD (INDICATE ED DURING BBLS OF 4 HOURS	RODUCTION GAS PRODUCED MCF	T SHOT, FRACE INT AND KIND OF THE REPORT OF THE REPO	G - IF PUMPING, S WATER PRODUCTEST	DEPT THOW SIZE AND CED DURING	FEET EZE RECORD H INTERVAL D TYPE OF PUMP.) OIL GRAVITY API (CORR.)
NUMBER PER FE DATE OF FIRST PROD SHUT IN DATE OF TEST	PERFORMANCE PERFORMANCE SET S DUCTION OR INJUNION HOURS TESTED CASING PRE (STATE WHETH	P/ RATION ZE AND T CHOKE SSURE ER VENTER	PE SIZE CALCUPRODU	DEPTI DEPTI OIL PRODUCTEST JUATED RATE O	INCH HINTERVAL INITIAL PETHOD (INDICATE ED DURING BBLS OF 4 HOURS	RODUCTION GAS PRODUCED MCF	T SHOT, FRACE INT AND KIND OF THE REPORT OF THE REPO	G - IF PUMPING, S WATER PRODUCTEST	ENT SQUE DEPT THOW SIZE AND CED DURING	FEET EZE RECORD H INTERVAL D TYPE OF PUMP.) OIL GRAVITY API (CORR.)
DATE OF FIRST PRODUSTION OF GAS METHOD OF DISPOSAL	PERFORMANCE TO SET SING PRESENT CASING PRESENT CASING PRESENT CONTRACTOR MUD PIT CO.	ECTION CHOKE SSURE ER VENTER ONTENTS	PPE SIZE CALCUPRODU	DEPTI DEPTI OIL PRODUCTEST RATED RATE 2 OR FUEL OR S	INCH HINTERVAL INITIAL PI THOD (INDICATE ED DURING BBLS OF 4 HOURS SOLD)	ACID, S AMOU MA RODUCTION IF FLOWING, GAS I GAS PRODUCED MCF OIL BBLS	TIHOT, FRACE INT AND KIND INTERIAL USED LIFT, OR PUMPIN DURING TEST GAS MCF	FEET TURE, CEME OF G - IF PUMPING, S WATER PRODUCTEST WATER BBLS	DEPT CED DURING BBLS BUT SQUE DEPT	FEET EZE RECORD H INTERVAL D TYPE OF PUMP.) OIL GRAVITY API (CORR. GAS OIL RATIO
DATE OF FIRST PRODUSTION OF GAS METHOD OF DISPOSAL TO MAKE this representation of the company of	PERFORMANCE TO SET	ECTION CHOKE ER VENTER ONTENTS Prigned It this rep	PF CALCUPRODU	DEPTI DEPTI DEPTI OIL PRODUCTEST RATEO RATE OF SECOND PER 2-4 OR FUEL OR SECOND PER 2-4 OR FUEL	INCH HINTERVAL INITIAL PI THOD (INDICATE ED DURING BBLS OF 4 HOURS SOLD)	ACID, S AMOU MA RODUCTION IF FLOWING, GAS I GAS PRODUCED MCF OIL BBLS	TIHOT, FRACE INT AND KIND INTERIAL USED LIFT, OR PUMPIN DURING TEST GAS MCF	FEET TURE, CEME OF G - IF PUMPING, S WATER PRODUCTEST WATER BBLS	DEPT CED DURING BBLS BUT SQUE DEPT	FEET EZE RECORD H INTERVAL D TYPE OF PUMP.) OIL GRAVITY API (CORR. GAS OIL RATIO
INCH NUMBER PER FE DATE OF FIRST PROD SHUT IN DATE OF TEST TUBING PRESSURE DISPOSITION OF GAS METHOD OF DISPOSA CERTIFICATE: to make this repr correct and com	PERFORMAND PIT CO. I, the Under ort, and that plete to the	RATION ZE AND T CHOKE SSURE ER VENTER ONTENTS Prigned this rep best of	PF CALCUPRODU	DEPTI DEPTI DEPTI OIL PRODUCTEST RATEO RATE OF SECOND PER 2-4 OR FUEL OR SECOND PER 2-4 OR FUEL	INCH HINTERVAL INITIAL PI THOD (INDICATE ED DURING BBLS OF 4 HOURS SOLD)	ACID, S AMOU MA RODUCTION IF FLOWING, GAS I GAS PRODUCED MCF OIL BBLS	TIHOT, FRACE INT AND KIND INTERIAL USED LIFT, OR PUMPIN DURING TEST GAS MCF	FEET TURE, CEME OF G - IF PUMPING, S WATER PRODUCTEST WATER BBLS	DEPT CED DURING BBLS BUT SQUE DEPT	FEET EZE RECORD H INTERVAL D TYPE OF PUMP.) OIL GRAVITY API (CORR.) GAS OIL RATIO
DATE OF FIRST PRODUSTION OF GAS METHOD OF DISPOSA	PERFORMANCE TO SET	RATION ZE AND T CHOKE SSURE ER VENTER ONTENTS Prigned this rep best of	PF CALCUPRODU	DEPTI DEPTI DEPTI OIL PRODUCTEST RATEO RATE OF SECOND PER 2-4 OR FUEL OR SECOND PER 2-4 OR FUEL	INCH HINTERVAL INITIAL PI THOD (INDICATE ED DURING BBLS OF 4 HOURS SOLD)	ACID, S AMOU MA RODUCTION IF FLOWING, GAS I GAS PRODUCED MCF OIL BBLS	TIHOT, FRACE INT AND KIND INTERIAL USED LIFT, OR PUMPIN DURING TEST GAS MCF Company), and direction and	FEET TURE, CEME OF G - IF PUMPING, S WATER PRODUCTEST WATER BBLS	DEPT CED DURING BBLS uthorized tots stated to	FEET EZE RECORD H INTERVAL D TYPE OF PUMP.) OIL GRAVITY API (CORR.) GAS OIL RATIO

INSTRUCTIONS: Attach drillers log or other acceptable log of well.

Show all important zones of porosity, detail of all cores, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

			IL OF FORMATIONS PENETRATED
FORMATION	TOP	воттом	DESCRIPTION (SEE * ABOVE)
			SEE ATTACHED
			OLE ATTACHED
1			
5 1			



Oil & Gas Well Drilling Water Wells Geo-Loop Installation

> Phone: 913-557-9083 Fax: 913-557-9084

Paola, KS 66071

WELL LOG

Belton Oil Company Belton Unit #RW-19 Missouri Permit #20834 December 8 - December 10, 2008

Thickness of Strata	Formation	Total
12	soil & clay	12
6	shale	18
32	lime	50
46	shale	96
12	lime	108
17	shale	125
7	lime	132
23	shale	155
16	lime	171
15	shale	186
27	ilime	213
11	shale	224
16	lime	240
5	shale	245
2	lime	247
3	shale	250
6	lime	256 base of the Kansas City
183	shale	439
4	lime	443
17	shale	460
12	lime	472
2	grey sand	474
4	broken sand	478 light oil show
10	shale	488
4	lime	492
29	shale	521
8	silty shale	529 ⁻
1	broken sand	530 40% bleeding sand
2	shale	532
10	oil sand	542 good oil show, good bleeding
2	silty shale	544
1	grey sand	545 light oil show
6	shale	551
1	broken sand	552 good oil show
3	silty shale	555
11	grey sand	566 very light show
9	silty shale	575

Belton	Init	44DIA	1 4	0
Dellon	OHIL	#HCVI	1-1	ы

Page 2

1	broken sand	
2	silty shale	576 40% bleeding sand, good bleeding
11		578
	oil sand	589
1	broken sand	590 bleeding well
1	limey sand	591 light oil show
1	broken sand	592 good bleeding
4	silty shale	596
2	broken sand	598 good bleeding
4	oil sand	602
5	limey sand	607 good oil show
9	oil sand	616
3	limey sand	619 light oil show
3	lime & shells	622
2	limey sand	624 light oil show
2	lime	626
5	oil sand	631
1	silty shale	632 no oil show
7	shale	639
1	coal	640
3	shale	643
1	coal	644
28	shale	672 TD
,		

Drilled a 12 1/4" hole to 21' Drilled a 6 1/2" hole to 672'

Set 20.5' of 8 5/8" new surface casing cemented with 8 sacks of cement.

Set 661' of $4\ 1/2"$ threaded and coupled 8 round upset tubing including 3 centralizers, 1 float shoe and 1 clamp

Page 3

Englevale Squirrel Core Times

	Minutes	Seconds		Minutes Seco	nds	Minutes	Seconds
530		23	568		6 606		20
531		25	569		7 607		41
532	1	8	570		5 608		11
533	1	35	571		4 609		41
534		42	572		4 610		4
535		20	573		7 611		13
536		51	574		5 612		23
537		19	575		6 613		38
538		20	576		2 614		34
539		27	577		6 615		36
540		39	578		6 616		46
541		52	579		0 617		16
542	1	45	580		4 618		25
543		23	581	2			14
544		21	582	2			2
545		22	583	4			28
546		22	584	5			17
547		24	585	2			18
548		40	586	2			18
549		25	587	2 1 2 3			22
550		21	588	2 3			24
551		23	589	2			23
552		22	590	2			27
553		51	591	3			21
554		21	592	3			19
555		22	593	3			19
556		22	594	2			30
557		21	595	1	7 633		52
558		24	596	1	9 634		56
559		26	597	3	9 635		36
560		24	598	3 5	4 636		45
561		27	599	2 5	1 637		25
562		25	600	1 8	638		43
563		25	601	2-	4 639		51
564		25	602	1 4			57
565		- 26	603	1 4	5 641		49
566		29	604	3	642		49
567		28	605	20	643		58
					644	1	1
					645	1	48
					646		37



REMIT TO

Consolidated Oil Well Services, LLC Dept. 970 P.O. Box 4346 Houston, TX 77210-4346

MAIN OFFICE P.O. Box 884 Chanute, KS 66720 620/431-9210 • 1-800/467-8676 FAX 620/431-0012

INVOICE

Invoice #

227959

Invoice Date: 12/11/2008

Terms:

Page

1

D.E. EXPLORATION

DOUG EVANS P.O. BOX 128

WELLSVILLE KS 66092

(785)883-4057

BELTON UNIT RW-19

9-46-33 19904 12/11/08

Part Number	Description	Qty	Unit Price	Total
L124	50/50 POZ CEMENT MIX	92.00	9.7500	897.00
L118B	PREMIUM GEL / BENTONITE	172.00	.1700	29.24
L111	GRANULATED SALT (50 #)	214.00	.3300	70.62
L110A	KOL SEAL (50# BAG)	510.00	.4200	214.20
L143	SILT SUSPENDER SS-630,ES	.50	38.5000	19.25
L401	HE 100 POLYMER	.50	47.2500	23.63
1404	4 1/2" RUBBER PLUG	1.00	45.0000	45.00
Descripti	on	Hours	Unit Price	Total
195 CEMENT PU	MP	1.00	925.00	925.00
195 EQUIPMENT	MILEAGE (ONE WAY)	60.00	3.65	219.00
T-106 WATER TRA	NSPORT (CEMENT)	4.00	112.00	448.00
348 MIN. BULK	DELIVERY	1.00	315.00	315.00

'arts: .abor:

1298.94 Freight:

.00 Tax:

88.34 AR

.00

3294.28

sublt:

igned

.00 Misc: .00 Supplies: .00 Total: .00 Change: 3294.28

BARTLESVILLE, OK 918/338-0808

ELDORADO, KS 316/322-7022

EUREKA, Ks 620/583-7664

GILLETTE, WY 307/686-4914

MCALESTER, OK 918/426-7667

OTTAWA, Ks 785/242-4044

THAYER, KS 620/839-5269

Date

WORLAND, WY 307/347-4577



TICKET NUMBER 19904 LOCATION Ottawa KS FOREMAN Fred Mader

PO Box 884, Chanute, KS 66720 FIELD TICKET & TREATMENT REPORT

620-431-9210	or 800-467-8676			CEMEN	T			.44
DATE	CUSTOMER#		L NAME & NUMBE	R	SECTION	TOWNSHIP	RANGE	COUNTY
12/11/08	2355	Belton	n Unit # R	W.19	9	46	33	Cass Co
CUSTOMER						e i in de rock de l		A SECTION ASSESSMENT
MAILING ADDRE	SS EXPIR	ration			TRUCK#	DRIVER	TRUCK#	DRIVER
P.D.	R /	20			506	Fred	-	
CITY	Box 1	STATE	ZIP CODE		495	Fasey	 	-
Wellsu:	lle	KS	66092		548	Churk	 	
	ng string	HOLE SIZE	, 3,	OLE DEPTH	505/7106	CASING SIZE &	AUTICUT //L	
CASING DEPTH	7 1 1	DRILL PIPE	T			CASING SIZE &		
SLURRY WEIGH		SLURRY VOL			k	CEMENT LEFT in	OTHER_	41
DISPLACEMENT			IT PSI M	IX PSI		RATE 58P	CASING 72	lug
REMARKS:	uck cas	no deax	-h w/wir	0/5.0	Mird	Diame II	C. F. F. A.	11.1
1/2 Gal	HE-100	Polymer	Flush.	PIN CH	late two	14 /1	Sex win-	156
hole.	Mix+Pu	ma 52	BRL TO I	Jale 1	TUP MI	L' Duran	112 54	-
50/50	Por mi	x Cance	w w/ 29	à Cal	5% Salt.	STUDISO	0 000 52	- W
Flust	Loumo	x 1500 5	cloan 1	Displa	ce 4/2"	Pubbar	Drug to	<u> </u>
Casm	e TD W	1 10.58	BL Frex	4 1110	then Hon	ec 4	a last 1	125
- Edgett	Releas	POVESS	sove to.	sex f	loax Valu	c. Check	Alux des	()-
w/w	irelme.	/				. 1	100	
						tul VI	nade.	
Eva	ins Ene	194 De	U. Inc.			, , ,		
ACCOUNT CODE	QUANITY			RIPTION of	SERVICES or PRO	DUCT	UNIT PRICE	TOTAL
5401		,	PUMP CHARGE	C	× Pina			92500
5406		60 mi	MILEAGE Pu n	no Ti	ruck			219 00
5407			minimus	n Ton	milean	_		315.00
550 C		lhrs	9	LTra	w = non x			448.00
					- pura			7.10.00
			2.1					
1124	9:	SKS	50/50 P	or mi	Cament			89700
1118B		2#	Prami v	n Gel				29 24
1111		14#	Granula					2062
1110A	51	o # Gal	Kol Sea					211120
1143	1/2	Gal	ESA-41					71456 1352 4263 4263
1401	1/2	Gal	WE- inn	Palu	mer			77 63
4404			45 100	bber	Pluc			450
					- 2			75-
					Sul	o Total		3205.94
					Tan	2 6.8%		88.34
								00.5/
tvin 3737							SALES TAX	
				0	0-0	0	ESTIMATED	3294.28
LITHORIZTION				d	2795	7	TOTAL	MIT.